

## Propane Forklift 1.5ton 2ton 2.5ton 3ton Gasoline Lpg Forklift With Japanese

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Goodsense
- Model Number: FG25
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Bare packaging
- Delivery Time: 30-40work days
- Payment Terms: T/T



### Product Specification

- Model Number: FG25
- Rated Loading Capacity: 2.5 TON
- Core Components: Bearing, Pump, Gearbox, Engine
- Weight (KG): 4500 Kg
- Fork Length: 1220mm
- Fork Width: 100mm
- Overall Dimensions: 2693\*1225\*2090
- Rated Capacity: 3000kg
- Place Of Origin: China
- Brand Name: Goodsense
- Name: Forklift
- Condition: New
- Energy Supply: Reference Introduction
- Advantage: Small Vibration And Noise
- Highlight: propane forklift 1.5ton, 3ton gasoline lpg forklift



### More Images



for more products please visit us on [rdforklift.com](http://rdforklift.com)

## Product Description

### Advantages

- 1.Wide view mast design, ensure the driver has an excellent view, which makes loading and unloading operations more secure and efficient;
- 2.Load sensing priority steering hydraulic system design, flexible steering, mast lift speed increased by 20%;
- 3.All accessories like engine, gear box are support by domestic and world famous brand, high quality, reliable after-sales;
- 4.The overhead guard adopts the high strength steel sheet to press molding, providing more sophisticated security for the driver, it can also prevent wind and rain.

| Model          |       |    | FG15           | FG20           | FG25           |
|----------------|-------|----|----------------|----------------|----------------|
| Power Type     |       |    | LPG & Gasoline | LPG & Gasoline | LPG & Gasoline |
| Rated Capacity |       | kg | 1500           | 2000           | 2500           |
| Load Centre    |       | mm | 500            | 500            | 500            |
| Lift Height    |       | mm | 3000           | 3000           | 3000           |
| Fork Size      | L×W×T | mm | 920×120×35     | 1070×120×40    | 1070×120×40    |

|  |   |     |        |        |        |
|--|---|-----|--------|--------|--------|
| Mast Tilt Angle                                  | F/R                                       | Deg | 6°/12° | 6°/12° | 6°/12° |
| Front Overhang<br>(Wheel center to<br>fork face) |   | mm  | 410    | 465    | 460    |
| Ground<br>Clearance(Botto<br>m of mast)          |   | mm  | 110    | 110    | 110    |
| Overall<br>Dimension                             | Length to face of<br>fork(Without fork)   | mm  | 2285   | 2595   | 2595   |
|  | Overall Width                             | mm  | 1086   | 1150   | 1150   |
|  | Mast Lowered<br>Height                    | mm  | 1995   | 2070   | 2070   |
|  | Mast Extended<br>Height(With<br>backrest) | mm  | 3940   | 4070   | 4070   |
|  | Overhead Guard<br>Height                  | mm  | 2040   | 2070   | 2070   |



**Taizhou Ruidong Import and Export Co., Ltd**



18367688514



gjg\_0208@163.com



rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China